

## SAFETY DATA SHEET

### RCF<sup>TM</sup> High Strength Anchoring Epoxy Paste PART A

Version 1.0      Revision Date: 30.06.2021      SDS Number: 100000016661      Date of last issue: -  
Date of first issue: 30.06.2021

---

#### SECTION 1. IDENTIFICATION

Product name : RCF<sup>TM</sup> High Strength Anchoring Epoxy Paste PART A

##### Manufacturer or supplier's details

Company : Rhino Products USA, Inc.

Address : 8383 Riley St,  
Zeeland, MI 49464,  
USA

Telephone : 1-888-684-3889

Emergency telephone : CANUTEC Collect: (613) 996-6666 (24-hour Hotline)  
ChemTrec: Day or Night within USA and Canada; 1-800-424-9300. Outside USA and Canada: + 703-527-3887 (collect calls accepted)

##### Recommended use of the chemical and restrictions on use

Recommended use : Epoxy resin

Restrictions on use : For industrial use only.

#### SECTION 2. HAZARDS IDENTIFICATION

---

##### GHS classification in accordance with the Hazardous Products Regulations

: Category 2

: Category 2A

: Category 1

##### GHS label elements



: Warning

: H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016661	Date of first issue: 30.06.2021

Precautionary Statements :

**Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
 P264 Wash skin thoroughly after handling.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Epoxy resin	Epoxy resin	25085-99-8	>= 30 - < 60 *
1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane	17557-23-2	>= 10 - < 30 *
Epoxy resin	Epoxy resin	28064-14-4	>= 10 - < 30 *
benzyl alcohol	benzyl alcohol	100-51-6	>= 5 - < 10 *
Epoxy resin	Epoxy resin	25068-38-6	>= 1 - < 5 *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016661	Date of first issue: 30.06.2021

---

General advice : Show this material safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.  
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

---

#### SECTION 4. FIRST AID MEASURES

Get medical attention immediately if irritation develops and persists.

Remove contaminated clothing and shoes.

Wash contaminated clothing before reuse.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.

If swallowed : Do NOT induce vomiting.  
If victim is fully conscious, give a cupful of water.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

Most important symptoms and effects, both acute and delayed : None known.

---

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Shovel into suitable container for disposal.

---

#### SECTION 7. HANDLING AND STORAGE

## SAFETY DATA SHEET

### RCF<sup>TM</sup> High Strength Anchoring Epoxy Paste PART A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016661	Date of first issue: 30.06.2021

---

Technical measures	:	Not applicable
Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	No special precautions required.
Conditions for safe storage	:	Keep in a dry, cool place.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on storage stability	:	Stable under normal conditions.

---

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

##### Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection	:	
Material	:	Nitrile rubber
Eye protection	:	Safety glasses
Skin and body protection	:	Remove and wash contaminated clothing before re-use.
Protective measures	:	Avoid contact with skin.
Hygiene measures	:	Avoid contact with skin, eyes and clothing.

---

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid liquid
Color	:	gray
Odor	:	characteristic

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016661	Date of first issue: 30.06.2021

---

characteristic

Odor Threshold	:	No data available
Melting point/freezing point	:	is not determined
Boiling point/boiling range	:	is not determined
Evaporation rate	:	is not determined
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	:	Lower flammability limit is not determined
Vapor pressure	:	is not determined
Density	:	1,7 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	is not determined
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	is not determined
Viscosity Viscosity, dynamic	:	is not determined
Viscosity, kinematic	:	is not determined

---

#### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Conditions to avoid	:	Not applicable
Hazardous decomposition products	:	Stable under normal conditions.

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016661	Date of first issue: 30.06.2021

---

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Acute toxicity

###### Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

###### Components:

###### benzyl alcohol:

Acute oral toxicity : LD50 Oral (Rat): 1.230 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 2.000 mg/kg

---

#### SECTION 12. ECOLOGICAL INFORMATION

##### Ecotoxicity

###### Components:

###### benzyl alcohol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 10 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other : EC50 (Daphnia): 23 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic : EC50 (Chlorella vulgaris (Fresh water algae)): 35 mg/l  
plants : Exposure time: 3 h  
Test Type: flow-through test

##### Persistence and degradability

No data available

##### Bioaccumulative potential

No data available

##### Mobility in soil

No data available

##### Other adverse effects

No data available

---

## SAFETY DATA SHEET

### R<sup>TM</sup>CF High Strength Anchoring Epoxy Paste PART A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016661	Date of first issue: 30.06.2021

---

#### SECTION 13. DISPOSAL CONSIDERATIONS

##### Disposal methods

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

---

#### SECTION 14. TRANSPORT INFORMATION

##### International Regulations

###### UNRTDG

Not regulated as a dangerous good

###### IATA-DGR

Not regulated as a dangerous good

###### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

##### Domestic regulation

###### TDG

Not regulated as a dangerous good

---

#### SECTION 15. REGULATORY INFORMATION

##### The ingredients of this product are reported in the following inventories:

TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	All components of this product are on the Canadian DSL
REACH	:	Not in compliance with the inventory
AIIC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016661	Date of first issue: 30.06.2021

IECSC : On the inventory, or in compliance with the inventory

TCSI : Not in compliance with the inventory

#### Canadian lists

The following substance(s) is/are subject to a Significant New Activity Notification:  
1-chloro-2,3-epoxypropane

## SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 30.06.2021  
Date format : mm/dd/yyyy

## SAFETY DATA SHEET

### RCF<sup>TM</sup> High Strength Anchoring Epoxy Paste PART A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016661	Date of first issue: 30.06.2021

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART B

Version 1.0      Revision Date: 30.06.2021      SDS Number: 100000016662      Date of last issue: -  
Date of first issue: 30.06.2021

---

#### SECTION 1. IDENTIFICATION

Product name : RCF™ High Strength Anchoring Epoxy Paste PART B

##### Manufacturer or supplier's details

Company : Rhino Products USA, Inc.

Address : 8383 Riley St,  
Zeeland, MI 49464,  
USA

Telephone : 1-888-684-3889

Emergency telephone : CANUTEC Collect: (613) 996-6666 (24-hour Hotline)  
ChemTrec: Day or Night within USA and Canada; 1-800-424-9300. Outside USA and Canada: + 703-527-3887 (collect calls accepted)

##### Recommended use of the chemical and restrictions on use

Recommended use : Epoxy curing agent

Restrictions on use : For industrial use only.

---

#### SECTION 2. HAZARDS IDENTIFICATION

##### GHS classification in accordance with the Hazardous Products Regulations

Skin corrosion : Category 1B

Serious eye damage : Category 1

Skin sensitization : Category 1

##### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.

---

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016662	Date of first issue: 30.06.2021

Precautionary Statements :

**Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
 P264 Wash skin thoroughly after handling.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
1,3,3-trimethyl-N-(2-methylpropylidene)-5-[(2-methylpropylidene)amino]cyclohexa	1,3,3-trimethyl-N-(2-methylpropylidene)-5-[(2-methylpropylidene)amino]cy	54914-37-3	>= 30 - < 60 *

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART B

Version 1.0      Revision Date: 30.06.2021      SDS Number: 100000016662      Date of last issue: -  
 Date of first issue: 30.06.2021

nemethylamine	clohexane-methylamine		
3-aminomethyl-3,5,5-trimethylcyclohexylamine	3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	>= 10 - < 30 *
benzyl alcohol	benzyl alcohol	100-51-6	>= 1 - < 5 *

\* Actual concentration or concentration range is withheld as a trade secret

#### SECTION 4. FIRST AID MEASURES

- General advice : Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If not breathing, give artificial respiration.  
Keep patient warm and at rest.  
Consult a physician after significant exposure.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Call a physician if irritation develops or persists.  
Wash contaminated clothing before re-use.
- In case of eye contact : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.  
Protect unharmed eye.
- If swallowed : If swallowed, call a poison control center or doctor immediately.  
Do NOT induce vomiting.  
If victim is fully conscious, give a cupful of water.  
If possible drink milk afterwards.
- Most important symptoms and effects, both acute and delayed : None known.

#### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016662	Date of first issue: 30.06.2021

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Shovel into suitable container for disposal.
- 

#### SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on protection against fire and explosion : None known.
- Advice on safe handling : Wear personal protective equipment.  
Do not get on skin or clothing.  
Use only in an area equipped with a safety shower.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
- Materials to avoid : No special restrictions on storage with other products.
- Further information on storage stability : The product is chemically stable.
- 

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

##### Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Combined particulates and organic vapor type
- Hand protection  
Material : butyl-rubber

## SAFETY DATA SHEET

### RCF<sup>TM</sup> High Strength Anchoring Epoxy Paste PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016662	Date of first issue: 30.06.2021

---

Eye protection	:	Safety goggles Face-shield Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	:	Long sleeved clothing Chemical resistant apron
Protective measures	:	Avoid contact with skin.
Hygiene measures	:	Avoid contact with skin, eyes and clothing.

---

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	gray
Odor	:	characteristic
Odor Threshold	:	No data available
Melting point/freezing point	:	is not determined
Boiling point/boiling range	:	is not determined
Evaporation rate	:	is not determined
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	:	Lower flammability limit is not determined
Vapor pressure	:	is not determined
Density	:	1,7 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	is not determined
Partition coefficient: n-octanol/water	:	No data available

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016662	Date of first issue: 30.06.2021

---

Autoignition temperature : is not determined

Viscosity

Viscosity, dynamic : is not determined

Viscosity, kinematic : is not determined

---

#### SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

Hazardous decomposition products : Stable under normal conditions.

---

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Acute toxicity

###### Product:

Acute oral toxicity : Acute toxicity estimate: 3.915 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 4.465 mg/kg  
Method: Calculation method

###### Components:

###### **3-aminomethyl-3,5,5-trimethylcyclohexylamine:**

Acute oral toxicity : LD50 Oral (Rat): 1.030 mg/kg

###### **benzyl alcohol:**

Acute oral toxicity : LD50 Oral (Rat): 1.230 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 2.000 mg/kg

---

#### SECTION 12. ECOLOGICAL INFORMATION

##### Ecotoxicity

###### Components:

###### **3-aminomethyl-3,5,5-trimethylcyclohexylamine:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 14,6 - 21,5 mg/l  
Exposure time: 48 h  
Test Type: semi-static test

---

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016662	Date of first issue: 30.06.2021

---

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 37 mg/l  
Exposure time: 72 h  
Test Type: flow-through test

**benzyl alcohol:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 10 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 23 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 35 mg/l  
Exposure time: 3 h  
Test Type: flow-through test

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

### SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.  
The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

---

### SECTION 14. TRANSPORT INFORMATION

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016662	Date of first issue: 30.06.2021

---

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

#### TDG

Not regulated as a dangerous good

---

## SECTION 15. REGULATORY INFORMATION

#### The ingredients of this product are reported in the following inventories:

TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	All components of this product are on the Canadian DSL
REACH	:	Not in compliance with the inventory
AIIIC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
ENCS	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
TCSI	:	Not in compliance with the inventory

#### Canadian lists

No substances are subject to a Significant New Activity Notification.

---

## SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

## SAFETY DATA SHEET

### RCF™ High Strength Anchoring Epoxy Paste PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.06.2021	100000016662	Date of first issue: 30.06.2021

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 30.06.2021  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8